

Date:19.5.2023

The Deputy Director General (Forest)
Ministry of Environment Forest & Climate Change
Integrated Regional Office(IRO), A/3,
Chandrasekharpur, Bhubaneswar ,Odisha.

Subject: Issuance of Certified Compliance Report of the Status of Compliance to the Conditions Stipulated in the Environmental Clearance Issued in favor of Greenfield Project of 125 KLD Grain Based Ethanol Plant along with 4.0 MW Co-generation Power Plant at Village- Banar Cuttack, Odisha by M/s Cuttack Agrivet Private Ltd vide EC identification no EC22A060OR184264 dated 04/03/2022

Ref: EC Identification No. EC22A060OR184264 and file No IA-J-11011/523/2021-IA-II(I)


Dear Sir,

With reference to above mentioned subject and in continuation to our letter dated 27.2.2023, we would like inform you that , Environment Clearance was granted in favor of Greenfield Project of 125 KLD Grain Based Ethanol Plant along with 4.0 MW Co-generation Power Plant at Village- Banara, Tehsil-Dumpada, District- Cuttack, Odisha by M/s Cuttack Agrivet Private Limited vide Identification No EC22A060OR184264 dated 04/03/2022. After obtaining Consent to establish from OSPCB, construction is going on. In the mean time it is decided to enhance the production quantity form 125 KLD to 250 KLD, hence it is required to submit certified EC compliance report of EC identification no EC22A060OR184264 dated 04/03/2022 as per MoEF & CC Circular No. J-11013/6/2010-1A.II (Part) 7thSeptember, 2017.

As such we are herewith submitting the Half Yearly EC compliance report for the period from October,2022 to March,2023 for your kind perusal and issuance of certified report as applied.

Thanking you with Regards

For Cuttack Agrivet Pvt Ltd


Authorized Signatory
Vice President
Cuttack Agrivet Pvt. Ltd.
Encl: as above
For Cuttack

<u>Conditions</u>	<u>Compliance</u>
(i) As per OM dated 16 th June, 2021, project falls in category B2 and the proposed capacity of 125 KLPD shall be only for fuel ethanol manufacturing as per self-certification in form of an affidavit by the Project Proponent. Provided that subsequently if it is found that the ethanol, produced based on the EC granted as per this dispensation, is not being used completely for EBP Programme, or if ethanol is not being produced, or if the said distillery is not fulfilling the requirements based on which the project has been appraised as category B2 project, the EC shall stand cancelled.	We will abide by the condition and the proposed capacity of 125 KLPD shall be only for fuel ethanol manufacturing as per self-certification given in form of an affidavit.
(ii) EC granted for a project on the basis of the submitted documents shall become invalid in case the actual land for the project site turns out to be different from the land considered at the time of appraisal of project.	Will abide by the condition. The project site developed on the actual land produced during appraisal by EAC.
(iii) The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented. Industry shall install solar power of at least 10% of its total power requirement within plant/nearby villages as a part of EMP.	At present construction is going on, after commencement of operation, the project will comply all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented. Industry shall install solar power of at least 10% of its total power requirement within plant/nearby villages as a part of EMP.
(iv) The project proponent will treat and reuse the treated water within the factory and no waste or treated water shall be discharged outside the premises	After commencement of operation, Waste water will be treated and reuse within the factory to ensure no waste or treated water shall be discharged outside the premises
(v) Total fresh water requirement shall not exceed 739 KLD which will be sourced from Mahanadi River. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard, and renewed from time to time. No ground water recharge shall be permitted within the premises. Industry shall construct a rainwater storage facility of 60 days capacity and the accumulated water to be used as fresh water thereby reducing fresh water consumption.	Fresh water requirement shall be kept under 739 KLD and will be sourced from Watco. Necessary permission has been obtained from IPICOL for 0.06 cusec. (copy attached as Annexure-1). If required Industry shall construct a rainwater storage facility of 60 days capacity and the accumulated water to be used as fresh water thereby reducing fresh water consumption after commencement of operation.

(vi) The spent wash shall be concentrated and dried to form DDGS to be used as cattle feed. Brick manufacturing unit shall be installed for utilization of fly ash. Coal of Sulphur content less than 0.5 % shall be used for boiler.	After Commencement of operation, spent wash shall be concentrated and dried to form DDGS to be used as cattle feed. Brick manufacturing unit shall be installed for utilization of fly ash. Coal of Sulphur content less than 0.5 % shall be used for boiler.
(vii) CO ₂ generated from the process shall be bottled/made solid ice and utilized/sold to authorized vendors.	After Commencement of operation, CO ₂ generated from the process shall be bottled/made solid ice and utilized/sold to authorized vendors.
(viii) Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.	After Commencement of operation, Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection as per Factory Act.
(ix) Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.	After Commencement of operation, Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.
(x) The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms. PESO certificate shall be obtained.	After Commencement of operation, The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms. PESO certificate shall be obtained.
(xi) Process organic residue and spent carbon, if any, shall be sent to Cement and other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.	After Commencement of operation, Process organic residue and spent carbon, if any, shall be sent to Cement and other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF
(xii) The company shall undertake waste minimization measures as below :- (a) Metering and control of quantities of active ingredients to minimizewaste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.	After Commencement of operation, project will take all the minimization measures recommended.

(xiii) The green belt of 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery and it shall be completed along with the commissioning of the project. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map. Development of greenbelt shall be completed along with commissioning of the project.	It is planned to develop greenbelt of 5–10-meter width along the plant periphery, which will be executed after completion of construction activities to avoid damage. Greenbelt shall be developed within 5 years from the commencement of operation.
(xiv) PP proposed to allocate Rs. 1.50 Crores towards CER and shall be spent on installation of solar power and on improving infrastructure of public schools in nearby villages in consultation with District Magistrate. All the proposed activities under CER shall be completed before the commencement of operations of the plant.	The project will be abide by the Ministry guideline for implementation of CER before commencement of operation. The earmarked amount of Rs 1.50 Crore shall be spent for peripheral development before start of operation.
(xv) There shall be at least 15% of the total plant area shall be earmarked for parking of vehicles for raw materials and finished products as per CPCB norms along with the facilities of toilets, drinking water facility and restrooms; no parking to be allowed outside on public places.	Area has been demarcated in project layout for parking of vehicles for raw materials and finished products as per CPCB norms along with the facilities of toilets, drinking water facility and restrooms
(xvi) Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.	Raw material shall be stored in silos to prevent dust pollution and other fugitive emissions.
(xvii) Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.	Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data will be transmitted to the CPCB and SPCB server after commencement of Operation. However AAQ an fugitive emission has been monitored by engaging Third party NABL accredited laboratory. Copy monitoring reports for water and air quality is attached as Annexure-2.

(xviii) A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Separate Environmental Management Cell shall be developed after commencement of operation.
---	--

B. GENERAL CONDITIONS

<u>CONDITIONS</u>	<u>COMPLIANCE</u>
(i) No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Will abide by the conditions, No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change
(ii) The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment	Energy source shall be LED based during operation of plant.
(iii) The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Adequate measures shall be taken as per EMP after commencement of Operation.

Status of Compliance to the Conditions Stipulated in The Environmental Clearance Issued in favor of Greenfield Project of 125 KLD Grain Based Ethanol Plant along with 4.0 MW Co-generation Power Plant at Village- Banar Cuttack, Odisha by M/s Cuttack Agrivet Private Ltd for the period of October,22 to March,23

(iv) The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	The project will undertake all relevant measures for improving the socio-economic conditions of the surrounding area after commencement of operation.
(v) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	Sufficient fund shall be earmarked for implementation of condition imposed in EC & CTO
(vi) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	The copy of clearance was shared to local Sarpanch after accordance from MoEF & CC.
(vii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	Will abide by the condition.
(viii) The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.	Will abide by the condition.

Status of Compliance to the Conditions Stipulated in The Environmental Clearance Issued in favor of Greenfield Project of 125 KLD Grain Based Ethanol Plant along with 4.0 MW Co-generation Power Plant at Village- Banar Cuttack, Odisha by M/s Cuttack Agrivet Private Ltd for the period of October,22 to March,23

(ix) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/ . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	The project has displayed the Copy of environmental clearance at public offices like Panchayat Office& Tahsil Office
(x) The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Will abide by the conditions.

TEST REPORT

Report No	EHS360/TR/2022-23/001	Report Date	05.05.2023
Issued To	M/s. Cuttack Agrivet Pvt. Ltd, Village Banara, Tahsil-Dumpada, Cuttack, Odisha- 756020		
Customer Name	M/s. Cuttack Agrivet Pvt. Ltd		
Sampling Method	IS 5182	Sample Drawn by	Laboratory
Sample Name	Air	Sample Code	EHS360/001
Sample Description	Ambient Air Quality Monitoring	Sample Condition	Good
Sample Location	AAQ1-Near Main Gate AAQ2-Near Sailo AAQ3-Village Banara AAQ4-Village Nuasahi		

Location Code	Date Of Sampling	PM10 (µg/m³)	PM2.5 (µg/m³)	SO ₂ (µg/m³)	NO _x (µg/m³)	CO (mg/m³)
AAQ1	04.04.2023	66.5	36.3	10.6	18.6	0.45
AAQ2	11.04.2023	57.4	35.1	10.3	17.8	0.47
AAQ3	18.04.2023	56.4	29.2	<4.0	<9.0	0.33
AAQ4	25.04.2023	54.9	27.1	<4.0	<9.0	0.32
NAAQ* Standard		100	60	80	80	4
Methods of Analysis		IS:5182 (Part-23)	IS:5182 (Part-24)	IS:5182 (Part-2)	IS:5182 (Part-6)	IS:5182 (Part-25)

Note: NAAQ – National Ambient Air Quality; Instrument Used: Respirable Dust Sampler(RDS),
CO Analyser Fine Particulate Sampler (FPS),

*****End of Report*****

Page 1 of 1

Verified by

[Signature]



Authorised Signatory

A-57

Name: Santhosh Kumar A
Designation : Quality Manager

TEST REPORT

Report No	EHS360/TR/2022-23/002	Report Date	05.05.2023
Issued To	M/s. Cuttack Agrivet Pvt. Ltd, Village Banara, Tahsil-Dumpada, Cuttack, Odisha- 756020		
Customer Name	M/s. Cuttack Agrivet Pvt. Ltd		
Sampling Method	IS 5182	Sample Drawn by	Laboratory
Sample Name	Fugitive Dust Sample	Sample Code	EHS360/002
Sample Description	Ambient Air Quality Monitoring	Sample Condition	Good

Sl. No.	Name of Location	Date of Sampling	Result ($\mu\text{g}/\text{m}^3$)
1	Material Handling Area	04.04.2023	524.5
2	Transport Road	25.04.2023	552.2
Fugitive Standard			1200 – 2000
Methods of Analysis			IS:5182 (Part-24)

Instrument Used: Respirable Dust Sampler (RDS)

*****End of Report*****

Page 1 of 1

Verified by




Authorised Signatory

A-S7

Name: Santhosh Kumar A
Designation : Quality Manager

TEST REPORT

Report No	EHS360/TR/2022-23/003	Report Date	05.05.2023
Issued To	M/s. Cuttack Agrivet Pvt. Ltd, Village Banara, Tahsil-Dumpada, Cuttack, Odisha- 756020		
Customer Name	M/s. Cuttack Agrivet Pvt. Ltd		
Sampling Method	IS 9989	Sample Drawn by	Laboratory
Sample Name	Noise Level Monitoring	Sample Code	EHS360/003
Sample Description	Work Zone Noise	Sample Condition	Good
Date of Sampling	04.04.2023	Date of Receiving	05.04.2023
Date of Analysis	05.04.2023	Date of Complete	08.04.2023
Sampling Location	N1-Material Handling Area N2-Furnace Area		

TIME (6.00AM to 10.00PM)	N-1	N-2
Avg.	63.8	61.2
Standard as per CPCB	75	55
TIME (10.00PM to 6.00AM)	N-1	N-2
Avg.	51.9	48.5
Standard as per CPCB	70	45

Note: Instrument Used: Sound Level Meter.

REMARKS: The above sample complies with TNPCB norms with respect to the above tested Parameters

*****End of Report*****



Verified by

Authorised Signatory

A-17

Name: Santhosh Kumar A
Designation : Quality Manager

TEST REPORT

Report No	EHS360/TR/2022-23/004	Report Date	05.05.2023
Issued To	M/s. Cuttack Agrivet Pvt. Ltd , Village Banara, Tahsil-Dumpada, Cuttack, Odisha- 756020		
Customer Name	M/s. Cuttack Agrivet Pvt. Ltd		
Sampling Method	SOP Method	Sample Drawn by	Laboratory
Sample Name	Water	Sample Code	EHS360/004
Sample Description	Ground Water	Sample Condition	Good
Date of Sampling	18.04.2023	Date of Receiving	19.04.2023
Date of Commenced	19.04.2023	Date of Completed	25.04.2023
Sample Location	GW1: Village Banara GW2: Village Nuasahi		

Sl. No.	Parameters	Unit	Standard as per IS-10500 (2012)	GW1	GW2
1	pH	—	6.5-8.5	7.31	7.16
2	Colour	Hazen	5 (15)	<5.0	<5.0
3	Turbidity	NTU	5(10)	<1	<1
4	Chloride (as Cl)(max)	mg/l	250 (1000)	18.0	18.0
5	Total Dissolved Solid	mg/l	500 (2000)	184	173
6	Total Hardness (as CaCO ₃) (max)	mg/l	200 (600)	125.0	117.0
7	Iron (as Fe) (max)	mg/l	0.3 (NR)	0.25	0.22
8	Calcium (as Ca) (max)	mg/l	75 (200)	32.8	29.0
9	Magnesium (as Mg) (max)	mg/l	30 (100)	22.4	21.4
10	Sulfate (as SO ₄) (max)	mg/l	200(400)	3.6	2.5
11	Nitrate (as NO ₃) (max)	mg/l	45 (NR)	1.49	1.03
12	Alkalinity (as CaCO ₃) (max)	mg/l	200 (600)	115	108
13	Fluoride (as F) (max)	mg/l	1.0(1.5)	<0.05	<0.05
14	Total Chromium as Cr(max)	mg/l	0.05(NR)	<0.05	<0.05
15	Odour	—	Agreeable	U/O	U/O

*****End of Report*****



Verified by

Authorised Signatory

A-17

Name : **Santhosh Kumar A**
Designation : Quality Manager

TEST REPORT

Report No	EHS360/TR/2022-23/004	Report Date	05.05.2023
Issued To	M/s. Cuttack Agrivet Pvt. Ltd, Village Banara, Tahsil-Dumpada, Cuttack, Odisha- 756020		
Customer Name	M/s. Cuttack Agrivet Pvt. Ltd		
Sampling Method	SOP Method	Sample Drawn by	Laboratory
Sample Name	Water	Sample Code	EHS360/004
Sample Description	Ground Water	Sample Condition	Good
Date of Sampling	09.04.2023	Date of Receiving	10.04.2023
Date of Commenced	11.04.2023	Date of Completed	15.04.2023
Sample Location	GW1: Village Banara GW2: Village Nuasahi		

Sl. No.	Parameters	Unit	Standard as per IS-10500 (2012)	GW1	GW2
16	Taste	—	Agreeable	AL	AL
17	Residual free Chlorine	mg/l	0.2 (1)	<0.2	<0.2
18	Manganese (as Mn) (max)	mg/l	0.10 (0.3)	<0.05	<0.05
19	Cadmium (as Cd) (max)	mg/l	0.003 (NR)	<0.001	<0.001
20	Copper (as Cu) (max)	mg/l	0.05 (1.5)	<0.03	<0.03
21	Zinc (as Zn) (max)	mg/l	5 (15)	<0.05	<0.05
22	Lead (as Pb) (max)	mg/l	0.01 (NR)	<0.01	<0.01
23	Selenium (as Se) (max)	mg/l	0.01 (NR)	<0.001	<0.001
24	Mercury (as Hg) (max)	mg/l	0.001 (NR)	<0.001	<0.001
25	Cyanide (as CN) (max)	mg/l	0.05 (NR)	<0.05	<0.05
26	Boron (as B) (max)	mg/l	0.5 (1.0)	<0.01	<0.01
27	Arsenic (as As) (max)	mg/l	0.01(0.5)	<0.001	<0.001

*****End of Report*****



Verified by

[Signature]

Authorised Signatory

A-57

Name : Santhosh Kumar A
Designation : Quality Manager

TEST REPORT

Report No	EHS360/TR/2022-23/004	Report Date	05.05.2023
Issued To	M/s. Cuttack Agrivet Pvt. Ltd, Village Banara, Tahsil-Dumpada, Cuttack, Odisha- 756020		
Customer Name	M/s. Cuttack Agrivet Pvt. Ltd		
Sampling Method	SOP Method	Sample Drawn by	Laboratory
Sample Name	Water	Sample Code	EHS360/004
Sample Description	Ground Water	Sample Condition	Good
Date of Sampling	09.04.2023	Date of Receiving	10.04.2023
Date of Commenced	11.04.2023	Date of Completed	15.04.2023
Sample Location	GW1: Village Banara GW2: Village Nuasahi		

Sl. No.	Parameters	Unit	Standard as per IS-10500 (2012)	GW1	GW2
28	Mineral Oil	mg/l	0.5(NR)	ND	ND
29	Aluminum (as Al) (max)	mg/l	0.03(0.2)	<0.01	<0.01
30	Anionic Detergents (as MBAS)	mg/l	0.2(1.0)	ND	ND
31	Phenolic Compound (as C6H5OH) (max)	mg/l	0.001(0.002)	<0.001	<0.001
32	Total Coliforms	MPN/100ml	Absent	<1.8	<1.8

*****End of Report*****

Page 1 of 1

Verified by




Authorised Signatory

A S

Name : Santhosh Kumar A
Designation : Quality Manager

TEST REPORT


Report No	EHS360/TR/2022-23/005	Report Date	05.05.2023
Issued To	M/s. Cuttack Agrivet Pvt. Ltd, Village Banara, Tahsil-Dumpada, Cuttack, Odisha- 756020		
Customer Name	M/s. Cuttack Agrivet Pvt. Ltd		
Sampling Method	SOP Method	Sample Drawn by	Laboratory
Sample Name	Water	Sample Code	EHS360/005
Sample Description	Surface Water	Sample Condition	Good
Date of Sampling	25.04.2023	Date of Receiving	26.04.2023
Date of Commenced	26.04.2023	Date of Completed	30.04.2023
Sampling Location	SW- Mahanadi River		

Sl. No.	Parameters	Unit	Standard as per IS-2296 Class-C	SW
1	pH	---	6.0-9.0	7.44
2	Colour	Hazen	300	<5
3	Chloride (as Cl)	mg/l	600	15.0
4	Total Dissolved Solid	mg/l	1500	142
5	Chemical Oxygen Demand as COD	mg/l	—	13.0
6	Hexavalent Chromium (as Cr+6)	mg/l	0.05	<0.05
7	Fluoride (as F)	mg/l	1.5	0.10
8	Sulfate (as SO ₄)	mg/l	400	5.7
9	Iron (as Fe)	mg/l	0.5	0.33
10	Nitrate (as NO ₃)	mg/l	50	1.76
11	Dissolved oxygen (min)	mg/l	4	5.9
12	Oil & Grease (max)	mg/l	—	ND
13	BOD (3) days at 27°C (max)	mg/l	3.0	4.1
14	Arsenic as As (max)	mg/l	0.2	<0.001
15	Lead as Pb (max)	mg/l	0.1	<0.01
16	Cadmium as Cd (max)	mg/l	0.01	<0.001
17	Copper as Cu (max)	mg/l	1.5	0.19

*****End of Report*****

Page 1 of 1

Verified by




Authorised Signatory

A-37

Name : Santhosh Kumar A
Designation : Quality Manager

TEST REPORT

Report No	EHS360/TR/2022-23/005	Report Date	05.05.2023
Issued To	M/s. Cuttack Agrivet Pvt. Ltd, Village Banara, Tahsil-Dumpada, Cuttack, Odisha- 756020		
Customer Name	M/s. Cuttack Agrivet Pvt. Ltd		
Sampling Method	SOP Method	Sample Drawn by	Laboratory
Sample Name	Water	Sample Code	EHS360/005
Sample Description	Surface Water	Sample Condition	Good
Date of Sampling	25.04.2023	Date of Receiving	26.04.2023
Date of Commenced	26.04.2023	Date of Completed	30.04.2023
Sampling Location	SW- Mahanadi River		

Sl. No.	Parameters	Unit	Standard as per IS-2296 Class-C	SW
20	Zinc as Zn(max)	mg/l	15	<0.05
21	Selenium as Se (max)	mg/l	0.05	<0.001
22	Cyanide as CN (max)	mg/l	0.05	<0.05
23	Phenolic Compounds as C ₆ H ₅ OH (max)	mg/l	0.005	<0.001
24	Total Coliform	MPN/ 100 ml	5000	280

*****End of Report*****

Page 1 of 1

Verified by

[Signature]



Authorised Signatory

A-57

Name: Santhosh Kumar A
Designation: Quality Manager



DISHA
NEW OPPORTUNITIES

No. GM/SLNA/ CAPL/275/21/ 2294

Dt. 13/09/21

To

The EIC-cum-Special Secretary to Government,
Department of Water Resources,
Rajiv Bhavan
Bhubaneswar.

Sub: - Allocation of water from river Mahanadi in favour of M/s Cuttack Agrivet Pvt Ltd for setting up a grain based distillery unit for manufacturing of Ethanol at Banara under Dampara Tahasil in the dist- Cuttack with a total investment of Rs. 112.50 Crores.

Sir,

In inviting reference to the above subject, I am directed to inform you that the State Level Single Window Clearance Authority (SLSWCA) in its 97th meeting held on 06/01/2021 has approved in principle the proposal of M/s Cuttack Agrivet Pvt Ltd for setting up a 125 KLPD Ethanol unit at Banara under Dampara Tahasil in Cuttack district with a total investment of Rs. 112.50 Crore.

The company has requested for 0.60 cusec of water for the proposed project.

The SLFC (State Level Facilitation Cell) subcommittee has assessed the water requirement to the extent of 0.60 cusecs of water as per the bench mark report for the proposed project and was accepted by SLFC in its 196th meeting held on 03/02/2021.

For kind information and necessary action at DOWR please.

Thanking You,

Yours faithfully,

Sd/
(K.C. Mohanty)

Chief General Manager (SLNA)

Memo no.- 2295 / Date 19/07/21

Copy forwarded to Sri Narasingh Sahu Addl Chief Engineer, DoWR and member SLFC for information and necessary action.

Chief General Manager (SLNA)

Memo no.- 2296 / Date 19/07/21

The Director, M/s. Cuttack Agrivet Pvt. Ltd., House no-2, Navjiban Vihar, New Delhi - 110017, for information and necessary action.

Chief General Manager (SLNA)



Industrial Promotion & Investment Corporation of Odisha Limited (IPICOL)


(A Government of Odisha Undertaking)

IPICOL House, Janpath, Bhubaneswar-751022, Odisha, India

☎ +91-674-2542601-03, 254605-06 ☎ +91-674-2543766


✉ cmd@investodisha.org, info@investodisha.org, @www.investodisha.org

CIN: U65993OR1973SGC000585, Toll Free No.: 18003457111



Government of National Capital Territory of Delhi

Certificate No.	: IN-DL65912116383992T
Certificate Issued Date	: 18-Dec-2021 06:34 PM
Account Reference	: IMPACC (IV)/ dl776103/ DELHI/ DL-DLH
Unique Doc. Reference	: SUBIN-DL77610323798769503216T
Purchased by	: CUTTACK AGRIVET PRIVATE LIMITED
Description of Document	: Article 4 Affidavit
Property Description	: Not Applicable
Consideration Price (Rs.)	: 0 (Zero)
First Party	: CUTTACK AGRIVET PRIVATE LIMITED
Second Party	: Not Applicable
Stamp Duty Paid By	: CUTTACK AGRIVET PRIVATE LIMITED
Stamp Duty Amount(Rs.)	: 100 (One Hundred only)



Please write or type below this line

AFFIDAVIT



I, Mohit Singla, Director of M/s Cuttack Agrivet Private Limited having its registered office at HNo.-2 ground floor Nav Jeevan Vihar New Delhi empowered and competent to swear this undertaking.

- That we, M/s Cuttack Agrivet Private Limited have planned to setup facility for Grain Based Distillery Plant of Capacity 125 KLPD along with 4.0 MW Co-generation Power Plant located at Village- Banara, Tehsil-Dumpada, District- Cuttack, Odisha.

Statutory Alert

1. The authenticity of this Stamp certificate should be verified at 'www.shoilestamp.com' or using e-Stamp Mobile App of Stock Holding Company of India. Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders it invalid.
2. The onus of checking the legitimacy is on the users of the certificate.
3. In case of any discrepancy please inform the Competent Authority.

- That, as per the MoEF&CC Notification vide S.O. 2339(E) Dated 16th June, 2021, we assure you that the total ethanol produced from the above mentioned project will be used for the purpose of Ethanol Blended Petrol (EBP) Programme; and if it is found that the ethanol is not being used completely for EBP programme, the EC shall stand cancelled.

CUTTACK AGRIVET PRIVATE LIMITED

DEPONENT

Name: Mohit Singla Director

Designation: Director

VERIFICATION:-

VERIFIED at New Delhi on this 18 Dec 2021 that the contents of para no.1 & 2 of the above undertaking are true and correct to the best of my knowledge and records. No part of it is false and nothing has been concealed therein.

CUTTACK AGRIVET PRIVATE LIMITED

DEPONENT

Name: Mohit Singla Director

Designation: Director

:



ATTESTED

**NOTARY PUBLIC
DELHI (INDIA)**

[19 DEC 2021]